Status Report: Mandarin Chinese Grammar (MCG)

Yi Zhang

LT-Lab, German Research Center for Artificial Intelligence

Computational Linguistics, Saarland University, Germany



Overview

- ► A Chinese grammar has been under development at DFKI Saarbrücken since summer 2010
- ► This talk gives an ovewview of the current grammar development progress and short-term future plan
- ► A preview release is available for download at http://www.coli.uni-saarland.de/~yzhang/mcg.php




General Approach

- Based on Matrix customization (a few rounds of trial and error)
- ► Linguistic analyses were drawn from several grammar books
 - ► [Zhu, 1982]
 - ► [Li and Thompson, 1989]
- Analyses were reformulated in the framework of HPSG
- Other literature and implementation solutions were consulted
 - ► [Bender, 2000] [Gao, 2000] [Ng, 1997]
 - ► [Guo, 2009] [Yu et al., 2010] [Tse and Curran, 2010] [Müller and Lipenkova, 2009]




Head Types



► Chinese specific head type hierarchy to accommondate for the lexical ambiguity between verbs, adjectives and nouns.



Topic constructions




► Topic-comment structure is captured by SUBJ2-HEAD schema, and saturates the SPR list of the predicate.




- ► DE-constructions are divided into two major types
 - Associative DE express an "associative" (possessive) relation between the noun phrase before and after DE
 - Nominalizing DE creates a nominal phrase from the S, S/NP or VP in front of DE
 - ► Subject-gapping DE phrase
 - ► Complement-gaping DE phrase
 - ▶ Non-gapping DE phrase




Associative DE




Subject-gapping nominalizing DE




Complement-gapping nominalizing DE



Non-gapping nominalizing DE




BA (把)-constructions



- BA is treated as a special category coverb
- Rule BA-FRONTED moves the last right complement (direct-object) to the left of the verb

BEI (被)-constructions



- Similar to BA, BEI is also treated as coverb
- ► Unary rule

 BEI-FRONTED

 switches the indices

 of the syntactic

 subject and the direct

 object, moves the

 complement to the

 preverbal position

Other Phenomena

- ► Resultative verb compound
- ► Aspect marking (着, 了, 过)
- ► Sentence final particle (question, 了)
- ► Numeral-classifier & demonstrative
- Basic serial verb constructions
- ▶ ...



Preview Release 20110615

http://www.coli.uni-saarland.de/~yzhang/mcg.php

- Developers: Yi Zhang, Rui Wang, Yu Chen
- About 200 newly added types
- Over 500 manually compiled lexical entries
- ► A (Chinese) phenomena oriented test-suite with over 700 positive & negative items (only 129 included in the release)
- ► Released under the LGPL-LR (excluding the test suite)
- ► A reference publication available soon



Future Plan

- Validation of MRS
- Corpus-based lexical acquisition
- Coverage boosting
- ► Treebanking
- ► CFG approximation
- Collaborations with other sites



References I



Bender, E. M. (2000).

The syntax of mandarin ba: Reconsidering the verbal analysis.

Journal of East Asian Linguistics, 9(2):105–145.



Gao, Q. (2000).

Argument Structure, HPSG, and Chinese Grammar.

PhD thesis, The Ohio State University.



Guo, Y. (2009).

Treebank-Based Acquisition of Chinese LFG Resources for Parsing and Generation.

PhD thesis, School of Computing, Dublin City University.



Li, C. N. and Thompson, S. A. (1989).

Mandarin Chinese: A functional reference grammar.

University of California Press, London, England.



References II



Müller, S. and Lipenkova, J. (2009).

Serial verb constructions in chinese: A hosq account.

In Proceedings of the 16th International Conference on Head-Driven Phrase Structure Grammar, pages 234–254, Germany.



Ng. S. K. (1997).

A double-specifier account of chinese nps using head-driven phrase structure grammar.

Master's thesis, Department of Linguistics. University of Edinburgh.



Tse, D. and Curran, J. R. (2010).

Chinese ccgbank: extracting ccg derivations from the penn chinese treebank.

In Proceedings of the 23rd International Conference on Computational Linguistics (Coling 2010), pages 1083-1091, Beijing, China.



References III



Yu, K., Yusuke, M., Wang, X., Matsuzaki, T., and Tsujii, J. (2010). Semi-automatically developing chinese hpsg grammar from the penn chinese treebank for deep parsing.

In Proceedings of the 23rd International Conference on Computational Linguistics (Coling 2010), pages 1417-1425, Beijing, China.



Zhu, D. (1982).

语法讲义.

商务印书馆.

