

MOM: Matrix Odin Mash-up

Potential for Automated Grammar
Generation from Linguistically Rich Data

David Wax

1. ODIN
2. Grammar Matrix
3. MOM System
4. Additional Resources

Example IGT:

(20) a. Chan toktang hong duay dokmai
I decorate room with flower
'I decorated the room with flowers.'


(7) Lu-lutu-in ng lalaki ang adobo.
Asp-cook-Acc CS man ANG adobo
'The man will cook the adobo.'

ODIN

Range of IGT Instances	Number of Languages	Number of IGT Instances
10,000+	3	36,691
1,000-9,999	37	97,158
100-999	122	40,260
10-99	326	12,822
1-9	838	2,313

<http://www.csufresno.edu/odin/>

ODIN



Grammar Matrix

Matrix ODIN Mash-up

Core grammar


Stored analyses


Choices File

Customization

Customized Grammar

Grammar Matrix





MOM System

French data:

Development set of 15,657 forms of the verb “to do”

Works as an ideal case for IGT:

ʒ(ə)-fɛ-(z)

NOM.1SG-do.PRS-1SG

“ do ”

Additionally we generated 12,212 incorrect French verb forms

Additional Resources

Questions?

(7) Lu-lutu-in ng lalaki ang adobo.

Asp-cook-Acc CS man ANG adobo

‘The man will **cook** the adobo.’

(S1 (S (NP (DT The) (NN man))

(VP (MD will) (VP (**VB cook**) (NP (DT the) (NN adobo))))

(. .)


System: Parser

Lulutu	Lu/PRE + lutu/in + in/SUF
in	Ng/STM
Lalaki	Lalaki/STM
Ang	Ang/STM
Adobo	Adobo/STM

Alignment Part 2:

Lu	lutu	in
↑↓	↑↓	↑↓
Asp	cook	Acc

System: Morphemes



System: Alignment